

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	198	(345/543). CCLS.	USPAT	OR	OFF	2009/03/02 07:11
L2	117	(345/544). CCLS.	USPAT	OR	OFF	2009/03/02 07:11
L3	482	(710/3).CCLS.	USPAT	OR	OFF	2009/03/02 07:11
L4	526	(710/9).CCLS.	USPAT	OR	OFF	2009/03/02 07:12
L5	949	(710/10).CCLS.	USPAT	OR	OFF	2009/03/02 07:12
L6	2011	(711/170). CCLS.	USPAT	OR	OFF	2009/03/02 07:12
L7	992	(711/173). CCLS.	USPAT	OR	OFF	2009/03/02 07:12
L8	301	(711/201). CCLS.	USPAT	OR	OFF	2009/03/02 07:12
L9	1487	(711/202). CCLS.	USPAT	OR	OFF	2009/03/02 07:12
L10	858	(711/203). CCLS.	USPAT	OR	OFF	2009/03/02 07:12
L11	503	(711/209). CCLS.	USPAT	OR	OFF	2009/03/02 07:12
L12	2247	(713/1).CCLS.	USPAT	OR	OFF	2009/03/02 07:12
L13	11	((top adj2 lower adj1 memory) or (top adj3 memory) or tolm) same (memory- mapped near3 (IO or I/O or input-output))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 07:18

L14	21	((top adj2 lower adj1 memory) or (tolm)) near3 (set\$4 or configur\$3 or assign\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 07:29
L15	200	((top adj2 lower adj1 memory) or (tolm))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 07:32
L16	3	(1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12) and 15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 07:33
L17	183	((top adj2 low adj1 memory) or (tolm))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 07:33
L18	3	(1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12) and 17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 07:34
L19	11	((top adj2 low \$2 adj1 memory) or (top adj3 memory) or tolme same (memory-mapped near3 (IO or I/O or input-output))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 07:34
L20	21	((top adj2 low \$2 adj1 memory) or (tolm)) near3 (set\$4 or configur\$3 or assign\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 07:34

L21	1341	(top adj4 memory) near5 (set\$4 or configur\$3 or assign\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 07:50
L22	37	(1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12) and 21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 07:50
L23	11466	(number or amount) near3 (dimm\$1 or socket\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 07:58
L24	2	23 same (memory- mapped near3 (IO or I/O or input-output))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 07:58
L25	5	((top adj2 lower adj1 memory) or (tolm)).clm.	US-PGPUB; USPAT	OR	OFF	2009/03/02 08:02
L26	117	((top adj3 memory) or tom or tolm) near5 (set\$4 or configur\$3 or assign\$3)).clm.	US-PGPUB; USPAT	OR	OFF	2009/03/02 08:04
L27	39	(memory- mapped near3 (IO or I/O or input-output)). clm.	US-PGPUB; USPAT	OR	OFF	2009/03/02 08:04

3/ 2/ 09 8:05:44 AM

**C:\ Documents and Settings\ gportka\ My Documents\ EAST\ Workspaces\ 10698586.
w sp**